

## DETAILS


<b>Product Number</b>	CN12112_LENA-S-DL
<b>Family</b>	Lena
<b>Type</b>	RefPack
<b>Color</b>	metal
<b>Diameter</b>	111 mm
<b>Height</b>	87,7 mm
<b>Style</b>	round
<b>Optic Material</b>	PC
<b>Holder Material</b>	
<b>Fastening</b>	screw
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	23/02/2014

## OPTICAL PROPERTIES


LED	Viewing Angle	Light Beam	Effi- ciency	cd/lm	Connector
CL-L340	14 deg	Spot	79 %	8.000	-



Luminaire: Ledil Oy CN12112\_LENA-S-DL (Citizen CL-L340 1393lm @ 250mA) Efficiency=79%  
Lamps: 1 x Citizen CL-L340 1393lm @ 250mA



Luminaire: Ledil Oy CN12112\_LENA-S-DL (Citizen CL-L340 1393lm @ 250mA) Efficiency=79%  
Lamps: 1 x Citizen CL-L340 1393lm @ 250mA



cd/klm

— C0 - C180    — C90 - C270

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**